

NOTACID RD

Composition

Esomeprazole 40 mg + Domperidone 30 mg SR Capsules

STORAGE

Store below 30°C

PRODUCT INTRODUCTION

Notacid RD 40 Capsule SR is a prescription medicine used to treat gastroesophageal reflux disease (Acid reflux) and indigestion by relieving the symptoms such as heartburn, stomach pain, or irritation. It also neutralizes the acid in the stomach and promotes easy passage of gas to reduce stomach discomfort.

Notacid RD 40 Capsule SR is taken without food in a dose and duration as advised by the doctor. The dose you are given will depend on your condition and how you respond to the medicine. You should keep taking this medicine for as long as your doctor recommends. If you stop treatment too early your symptoms may come back and your condition may worsen. Let your healthcare team know about all other medications you are taking as some may affect, or be affected by this medicine.

Most common side effects are diarrhea, flatulence, stomach pain, dryness in mouth, and headache. Most of these are temporary and usually resolve with time. Contact your doctor straight away if you are at all concerned about any side effects. It may also cause sleepiness and dizziness, so do not drive or do anything that requires mental focus until you know how this medicine affects you. Avoid drinking alcohol while taking this medicine as it can worsen your sleepiness. Lifestyle modifications like having cold milk and avoiding hot tea, coffee, spicy food or chocolate can help you to get better results.

Before taking this medicine, you should tell your doctor if you are pregnant, planning pregnancy or breastfeeding. You should also tell your doctor if you have liver diseases so that your doctor can prescribe a suitable dose for you.

USES OF NOTACID RD

In Treatment of Gastroesophageal reflux disease (Acid reflux)

Gastroesophageal reflux disease (GERD) is a chronic (long-term) condition in which there is an excess production of acid in the stomach. Notacid RD 40 Capsule SR reduces the amount of acid your stomach makes and relieves the pain associated with heartburn and acid reflux. You should take it exactly as it is prescribed for it to be effective.

Some simple lifestyle changes can help reduce the symptoms of GERD. Think about what foods trigger heartburn and try to avoid them; eat smaller, more frequent meals; try to lose weight if you are overweight and try to find ways to relax. Do not eat within 3-4 hours of going to bed.

HOW TO USE NOTACID RD CAPSULE

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. Notacid RD 40 Capsule SR is to be taken empty stomach.

HOW NOTACID RD WORKS

Notacid RD 40 Capsule SR is a combination of two medicines: Domperidone and Esomeprazole. Domperidone is a prokinetic which works on the upper digestive tract to increase the movement of the stomach and intestines, allowing the food to move more easily through the stomach. Esomeprazole is a proton pump inhibitor (PPI) which works by reducing the amount of acid in the stomach which helps in the relief of acid-related indigestion and heartburn. Notacid RD 40 Capsule SR is a combination of two medicines: Domperidone and Esomeprazole. Domperidone is a prokinetic which works on the upper digestive tract to increase the movement of the stomach and intestines, allowing the food to move more easily through the stomach. Esomeprazole is a proton pump inhibitor (PPI) which works by reducing the amount of acid in the stomach which helps in the relief of acid-related indigestion and heartburn.

WHAT IF YOU FORGET TO TAKE NOTACID RD CAPSULE?

If you miss a dose of Notacid RD 40 Capsule SR, take it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.