

ZURAXIM 250 / 500

Composition

Cefuroxime Axetil 250 mg / 500 mg Tablet

STORAGE

Store below 30°C

PRODUCT INTRODUCTION

Zuraxim 250 / 500 Tablet is an antibiotic medicine used to treat bacterial infections in your body. It is effective in infections of the lungs (e.g., pneumonia), ear, throat, nasal sinus, urinary tract, skin, soft tissues, bones, and joints. It is also used to prevent infections during surgery.

Zuraxim 250 / 500 Tablet should be taken with food to avoid an upset stomach. You should take it regularly at evenly spaced intervals as per the schedule prescribed by your doctor. Taking it at the same time every day will help you to remember to take it. The dose will depend on what you are being treated for, but you should always complete a full course of this antibiotic as prescribed by your doctor. Do not stop taking it until you have finished, even when you feel better. If you stop taking it early, some bacteria may survive and the infection may come back. It will not work for viral infections such as flu or the common cold. Using any antibiotic when you do not need it can make it less effective for future infections.

The most common side effects of this medicine include rash, vomiting, increased liver enzymes, nausea, and diarrhea. These are usually mild but let your doctor know if they bother you or last more than a few days.

Before using it, you should tell your doctor if you are allergic to any antibiotics or have any kidney or liver problems. You should also let your doctor know all other medicines you are taking as they may affect, or be affected by this medicine. Pregnant and breastfeeding mothers should consult their doctor before using it.

USES OF ZURAXIM TABLET

In Treatment of Bacterial infections

Zuraxim 250 / 500 Tablet is a versatile antibiotic medicine that kills the infection-causing bacteria in your body. This medicine is used to treat many different types of infections such as those of the lungs (pneumonia), ear, abdomen, urinary tract, bones, joints, skin and soft tissues. This medicine usually makes you feel better within a few days, but you should continue taking it as prescribed even when you feel better. Stopping it early may make the infection come back and harder to treat.

HOW TO USE ZURAXIM TABLET

Take this medicine in the dose and duration as advised by your doctor. Swallow it as a whole. Do not chew, crush or break it. Zuraxim 250 / 500 Tablet is to be taken with food.

HOW ZURAXIM 250 / 500 WORKS

Zuraxim 250 / 500 Tablet is an antibiotic. It kills bacteria by preventing them from forming the bacterial protective covering (cell wall) which is needed for them to survive.

WHAT IF YOU FORGET TO TAKE ZURAXIM 250 /500 TABLET?

If you miss a dose of Zuraxim 250 / 500 Tablet, take it as soon as possible. However, if it is almost time for your next dose, skip the missed dose and go back to your regular schedule. Do not double the dose.